

TestHorse

Certified IT practice exam authority

Accurate study guides, High passing rate!
Testhorse provides update free of charge in one year!



Exam : **A00-281**

Title : SAS Certified Clinical Trials
Programmer Using SAS 9
Accelerated Version

Version : Demo

1. Given the following data at WORK.DEMO:

PTID	Sex	Age	Height	Weight
457892	M	14	69.0	112.5
464389	F	13	56.5	84.0
478865	F	13	65.3	98.0
483476	F	14	62.8	102.5
493847	M	14	63.5	102.5
500029	M	12	57.3	83.0
513842	F	12	59.8	84.5
515151	F	15	62.5	112.5
522396	M	13	62.5	84.0
534787	M	12	59.0	99.5
536777	F	11	51.3	50.5
546823	F	14	64.3	90.0
556677	F	12	56.3	77.0
565699	F	15	66.5	112.0
578222	M	16	72.0	150.0
635445	M	12	64.8	128.0

Which SAS program prints only the first 5 males in this order from the data set?

A. `proc sort data=WORK.DEMO out=out;`

`by sex;`

`run;`

`proc print data= out (obs=5);`

`run;`

B. `proc print data=WORK.DEMO(obs=5);`

`where Sex='M';`

`run;`

C. `proc print data=WORK.DEMO(where=(sex='M'));`

`where obs<=5;`

`run;`

D. `proc sort data=WORK.DEMO out=out;`

`by sex descending;`

`run;`

`proc print data= out (obs=5);`

`run;`

Answer: B

2. Which SAS program will apply the data set label 'Demographics' to the data set named DEMO.?

A. `data demo (label='Demographics');`

`set demo;`

`run;`

B. `data demo;`

`set demo (label='Demographics');`

`run;`

C. `data demo (label 'Demographics');`

`set demo;`

`run;`

D. data demo;
 set demo;
 label demo= 'Demographics';
 run;

Answer: A

3.The following SAS program is submitted:
 proc sort data=SASUSER.VISIT out=PSORT;
 by code descending date cost;
 run;

Which statement is true regarding the submitted program?

- A. The descending option applies to the variable CODE.
- B. The variable CODE is sorted by ascending order.
- C. The PSORT data set is stored in the SASUSER library.
- D. The descending option applies to the DATE and COST variables.

Answer: B

4.What information can be found in the SAS Dictionary tables? (Choose two.)

- A. datasets contained within a specified library
- B. values contained within a specified format
- C. variables contained within a specified dataset
- D. values contained within a specified variable

Answer: A,C

5.Given the following data set: Which program was used to prepare the data for this PROC PRINT output?

subjid	trt	result	dtime	age
1		CR	0	56
2	A	PD	1	52
3	B	PR	1	47
4	B	CR	2	29
5	1	SD	1	39
6	C	SD	3	21
7	C	PD	2	90
1	A	CR	0	43
3	B	PD	1	56

The following output was generated from PROC PRINT.

Obs	subjid	trt	result	dtime	age
1	1		CR	0	56
2	2	A	PD	1	52
3	3	B	PR	1	47
4	4	B	CR	2	29
5	5	1	SD	1	39
6	6	C	SD	3	21
7	7	C	PD	2	90

A.proc sort data=one out=two;
 by subjid;

```
run;
B. proc sort data=one out=two nodupkey;
by subjid;
run;
C. proc sort data=one out=two nodup;
by subjid;
run;
D. proc sort data=one out=two nodupkey;
by subjid trt;
run;
```

Answer: B

6.This question will ask you to provide a line of missing code.

The following SAS program is submitted: Which statement is required to produce this output?

```
proc freq data=dist;
  <insert code here>
run;
```

to create the following output:

The FREQ Procedure
Table of site by group

site	group			
Frequency				
Percent				
Row Pct	Trt1	Trt2	Trt3	Total
SITEA	15	56	172	243
	2.80	10.47	32.15	45.42
	6.17	23.05	70.78	
SITEB	24	74	194	292
	4.49	13.83	36.26	54.58
	8.22	25.34	66.44	
Total	39	130	366	535
	7.29	24.30	68.41	100.00

- A. TABLES site*group /nocol;
- B. TABLES site*group /norow;
- C. TABLES site*group;
- D. TABLES site*group /nocol norow;

Answer: A

7.Which statement correctly adds a label to the data set?

- A. DATA two Label="Subjects having duplicate observations";
set one;
run;
- B. DATA two;
Label="Subjects having duplicate observations";

```

set one;
run;
C. DATA two;
set one;
Label dataset="Subjects having duplicate observations";
run;
D. DATA two(Label="Subjects having duplicate observations");
set one;
run;

```

Answer: D

8. Given the following data set:

SUBJID	GENDER	AGE	TRT
4	M	63	3
4	M	63	1
5	F	72	4
1	F	45	1
3	M	57	2
2	F	39	1
3	M	57	2

The following output data set was produced:

SUBJID	GENDER	AGE	TRT
3	M	57	1
3	M	57	1
4	M	63	2
4	M	63	0
5	F	72	3

Which SAS program produced this output?

- A. `proc sort data=one(where=(age>50)) out=two;`
`by subjid;`
`run;`
- B. `proc sort data=one(if=(age>50)) out=two;`
`by subjid;`
`run;`
- C. `proc sort data=one out=two;`
`where=(age>50);`
`by subjid;`
`run;`
- D. `proc sort data=one out=two;`
`if age>50;`
`by subjid;`
`run;`

Answer: A

9. CORRECT TEXT

The following question will ask you to provide a line of missing code.

The following program is submitted to output observations from data set ONE that have more than one record per patient.

```
proc sort data=one out=two;
  by subjid;
run;
data two;
  set two;
  <insert code here>
  if (first.subjid ne 1 or last.subjid ne 1) then output ;
run ;
```

In the space below, enter the line of code that will correctly complete the program (Case is ignored. Do not add leading or trailing spaces to your answer.).

Answer: BYSUBJID; BYSUBJID;

10. Given the data set WORK.BP with the following variable list:

#	Variable	Type	Len	Label
1	DIABP	Num	8	Diastolic Blood Pressure
2	PTNO	Char	4	Patient Number
3	SYSBP	Num	8	Systolic Blood Pressure

The following SAS program is submitted:

```
ods select ExtremeObs;
proc univariate data=WORK.BP;
  var DIABP;
  id PTNO;
run;
```

Which output will be created by the program? A. Option A

A.

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
68	190	119	51

B.

Extreme Observations					
Lowest			Highest		
Value	PTNO	Obs	Value	PTNO	Obs
68	6007	190	119	2710	51

C.

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
62	129	112	60
63	8	114	4
63	133	114	147
65	22	115	287
68	190	119	51

D.

Extreme Observations					
Lowest			Highest		
Value	PTNO	Obs	Value	PTNO	Obs
62	5023	129	112	3020	60
63	1890	8	114	1701	4
63	5029	133	114	5109	147
65	2201	22	115	8077	287
68	6007	190	119	2710	51

- B. Option B
 - C. Option C
 - D. Option D
- Answer: D**

11. The following SAS program is submitted:

```
proc univariate data=WORK.STUDY;
  by VISIT;
  class REGION TREAT;
  var HBA1C GLUCOSE;
run;
```

You want to store all calculated means and standard deviations in one SAS data set. Which statement must be added to the program?

- A. output mean std;
- B. ods output mean=m1 m2 std=s1 s2;
- C. output out=WORK.RESULTS mean=m1 m2 std=s1 s2;

D. ods output out=WORK.RESULTS mean=m1 m2 std=s1 s2;

Answer: C

12. Which program will report all created output objects in the log?

A. proc ttest data=WORK.DATA1 ods=trace;

class TREAT;

var RESULTS;

run;

B. ods trace on;

proc ttest data=WORK.DATA1;

class TREAT;

var RESULTS;

run;

C. ods trace=log;

proc ttest data=WORK.DATA1;

class TREAT;

var RESULTS;

run;

D. ods trace log;

proc ttest data=WORK.DATA1;

class TREAT;

var RESULTS;

run;

Answer: B

13. Review the following procedure format:

```
PROC TTEST data=data;  
  class group-variable;  
  var variable;  
run;
```

What is the required type of data for the variable in this procedure?

A. Character

B. Continuous

C. Categorical

D. Treatment

Answer: B

14. The following output is displayed: Which SAS program created this output?

Table of GENDER by ANSWER

GENDER	ANSWER			Total
Frequency	1	2	8	Total
1	12	22	5	39
2	22	8	3	33
Total	34	30	8	72

Frequency Missing = 4

- A. `proc freq data=WORK.TESTDATA; tables gender * answer / nocol norow nopercnt; run;`
- B. `proc freq data=WORK.TESTDATA; tables answer * gender / nocol norow nopercnt; run;`
- C. `proc freq data=WORK.TESTDATA;`
`tables gender * answer / nocol norow nopercnt missing;`
`run;`
- D. `proc freq data=WORK.TESTDATA;`
`tables answer * gender / nocol norow nopercnt missing;`
`run;`

Answer: A

15. You want 90% confidence limits for a binomial proportion from a one-way table with PROC FREQ. Which option must you add to the TABLES statement?

- A. BINOMIAL
- B. BINOMIAL ALPHA=0.9
- C. BINOMIAL ALPHA=90
- D. BINOMIAL ALPHA=0.1

Answer: D