

TestHorse

Certified IT practice exam authority

Accurate study guides, High passing rate!
Testhorse provides update free of charge in one year!



Exam : **AD0-E600**

Title : Adobe Experience Platform
Technical Foundations

Version : DEMO

1.A marketer needs to quickly validate that data ingested into a dataset processed to Profile successfully. Using the AEP.

In which two ways can the marketer perform this task? (Choose two.)

- A. Sources > Data Flow
- B. Query service
- C. Dataset > Activity
- D. Monitoring > Batch
- E. Identities > Browse

Answer: C,E

2.A marketer wants to create a segment that qualifies profiles from all datasets that are enabled for profile. The use case for the segment is for activation to advertising destinations.

Based on the options for ID stitching and merge method respectively, which type of merge policy is appropriate for this use case?

- A. ID stitching: None
Merge method: Dataset precedence
- B. ID stitching: None
Merge method: Timestamp ordered
- C. ID stitching: Private graph
Merge method: Dataset precedence
- D. ID stitching: Private graph
Merge method: Timestamp ordered

Answer: A

3.A data architect responsible for maintaining existing schemas is notified that a previously defined mandatory field is no longer available due to some changes in the inbound data. The data architect confirms the existing schema has been saved and is currently being leveraged in data ingestion.

Which option does the data architect have?

- A. Remove the previously defined field
- B. Make the current mandatory field optional
- C. Rename the existing field
- D. Assign the field a new data type

Answer: A

4.A data engineer is ingesting the transactional information from an ecommerce platform through a daily feed. In AEP, one Experience Event-based schema will collect the purchase events from this feed.

The eventType field of the schema must be populated with 'commerce.purchases' if in a CSV record in which the column 'purchasestart' and 'purchaseenddate' happen on the same day, If the 'purchasestartdate' is set to a later date, the eventType should be 'commerce._orgtenant.cancer'. Both dates follow the same format 'yyyy-MM-dd'T'HH:mm:ss.SSS'Z~'. and the 'purchaseenddate' is always populated.

How should the data engineer create a Calculated Field that can be used to populate the eventType according to the required logic?

A)

```
iif(purchasestartdate == purchaseenddate, "commerce.purchases",  
"commerce_orgtenant.cancel")
```

B)

```
iif(${purchasestartdate}.dayOfYear==${purchaseenddate}. dayOfYear,  
"commerce.purchases", "commerce_orgtenant.cancel")
```

C)

```
iif(format(purchasestartdate,"yyyy-MM-dd")=format(purchaseenddate,"yyyy-MM-dd"),  
"commerce.purchases", "commerce_orgtenant.cancel")
```

D)

```
iif(getdayOfYear(purchasestartdate) == get dayOfYear(purchaseenddate),  
"commerce.purchases", "commerce_orgtenant.cancel")
```

A. Option A

B. Option B

C. Option C

D. Option D

Answer: D

5.Which subset of data appears when clicking the 'Preview dataset' button on a Dataset page?

A. A sample of all successful batches in the dataset in the past 7 days

B. A sample of the data structure of the XDM schema

C. A sample of the most recent successful batch in the dataset

D. A sample of all successful and failed batches in the dataset

Answer: C