



# TestHorse

Certified IT practice exam authority

---

Accurate study guides, High passing rate!  
Testhorse provides update free of charge in one year!



<http://www.testhorse.com>

**Exam : HP0-M98**

**Title : Advanced Scripting using  
QTP 11 Software Exam**

**Version : DEMO**

1.Shortcut Key for opening a new Function Library is:

- A.Shift + N
- B.Ctrl + Alt + N
- C.Shift + Alt + N
- D.CRTL + N

**Answer: C**

2.We can work with multiple documents (test, component, or application area, function libraries) using the \_\_\_\_\_ dialog box.

- A.Display
- B.Panes
- C.Show
- D.Windows

**Answer: D**

3.We cannot directly open the function libraries, regardless of whether they are associated with the currently open test.

- A.True
- B.False

**Answer: B**

4.What is the shortcut key to open a Step Generator.

- A.F6
- B.F5
- C.F2
- D.F7

**Answer: D**

5.Shortcut Key for Closing all open Function Libraries in one go.

- A.None of these
- B.Ctrl + Alt + C
- C.Shift + N
- D.Shift + A + C

**Answer: A**

6.The \_\_\_\_\_ toolbar contains buttons for recording and running our test.

- A.Standard
- B.Automation
- C.Tools
- D.Edit

**Answer: B**

7.What is the shortcut key for opening an Object Repository.

- A.Ctrl + R

- B.Shift + R
- C.Alt + R
- D.Shift + O + R

**Answer: A**

8.The shortcut keys for Record, Stop and Run respectively are.

- A.F4,F3,F5
- B.F4,F5,F3
- C.F3, F5, F4
- D.F3, F4, F5

**Answer: D**

9.We can open and work on.

- A.Multiple function libraries simultaneously
- B.Nine function libraries simultaneously
- C.One function library at a time
- D.Two function libraries simultaneously

**Answer: A**

10.Shortcut key to Insert/Remove a breakpoint is.

- A.Shift + b
- B.F8
- C.F9
- D.Ctrl + b

**Answer: C**

11.Shortcut Key for Commenting out the current row, or selected rows./

- A.Shift + M
- B.Ctrl + M
- C.Ctrl + C
- D.Shift + C

**Answer: B**

12.QuickTest has \_\_\_\_\_ built-in toolbars.

- A.8
- B.6
- C.7
- D.5

**Answer: A**

13.The \_\_\_\_\_ runs only the current line of the script.If the current line calls a method, the method is displayed in the view but is not performed.

- A.Step Till
- B.Step Out

- C.Step Over
- D.Step Into

**Answer: D**

14.Panes in QTP can have one of the following states docked or floating.

- A.True
- B.False

**Answer: A**

15.Function Definition Generator is found in which menu option.

- A.File
- B.View
- C.Tools
- D.Insert

**Answer: D**

16.To expand all the steps in the keyword view which option We would use from the View menu.

- A.Expand Rows
- B.Expand
- C.Expand All
- D.Expand Items

**Answer: C**

17.What is the shortcut key to Clear all Breakpoints.

- A.Alt + Ctrl + F9
- B.Alt + Shift + F9
- C.Ctrl + Shift + F9
- D.Shift + Ctrl + F9

**Answer: C**

18.The \_\_\_\_\_ runs only the current line of the script.When the current line calls a method, the method is performed in its entirety, but is not displayed in the view.

- A.Step Into
- B.Step Till
- C.Step Over
- D.Step Out

**Answer: C**

19.QuickTest enables us to open and work

- A.On nine test at a time
- B.On two tests at a time
- C.On one test at a time
- D.On predefined number of tests at a time

**Answer: C**

20.We can manage the test actions and the test or function library steps using the...menu commands

A.Automation

B.Tools

C.File

D.Edit

**Answer: D**