

Accurate study guides, High passing rate! Testhorse provides update free of charge in one year!

Exam : NSE4_FGT-6.2

Title : Fortinet NSE 4 - FortiOS 6.2

Version : DEMO

1. Which configuration objects can be selected for the Source field of a firewall policy? (Choose two.)

- A. Firewall service
- B. User or user group
- C. IP Pool
- D. FQDN address
- Answer: BC

2.By default, when logging to disk, when does FortiGate delete logs?

- A. 30 days
- B. 1 year
- C. Never
- D. 7 days
- Answer: D

3.Which of the following conditions are required for establishing an IP Sec VPN between two FortiGate devices? (Choose two)

A. If XAuth is enabled as a server in one peer, it must be enabled as a client in the other peer

B. If the VPN is configured as route-based, there must be at least one firewall policy with the action set to IP Sec

C. If the VPN is configured as Dial Up User in one peer, it must be configured as either Static IP Address or Dynamic DNS in the other peer.

D. If the VPN is configured as a policy-based in one peer, it must also be configured as policy based in the other peer.

Answer: AC

4.Based on this output, which statements are correct? (Choose two.)

Local-FortiGate # diagnose sys ha checksum cluster is manage master()=1, is root master()=1 debugzone global: 85 26 52 f2 f9 6e 3c c9 f5 21 1a 78 69 b6 20 bd root: 30 51 63 1b 2d ef 77 aa f7 50 00 25 4d 42 a9 7d all: 38 28 3d e4 24 8f 5b 10 8a 64 30 f2 34 13 c1 35 checksum global: 85 26 52 f2 f9 6e 3c c9 f5 21 1a 78 69 b6 20 bd root: 30 51 63 1b 2d ef 77 aa f7 50 00 25 4d 42 a9 7d all: 38 28 3d e4 24 8f 5b 10 8a 64 30 f2 34 13 c1 35 is_manage_master()=0, is_root_master()=0 debugzone global: 85 26 52 f2 f9 6e 3c c9 f5 21 1a 78 69 b6 20 bd root: 30 51 63 1b 2d ef 77 aa f7 50 00 25 4d 8a 55 8b all: 38 28 3d e4 24 8f 5b 10 8a 64 30 f2 34 dc 9a 43 checksum global: 85 26 52 f2 f9 6e 3c c9 f5 21 1a 78 69 b6 20 bd root: 30 51 63 1b 2d ef 77 aa f7 50 00 25 4d 8a 55 8b all: 38 28 3d e4 24 8f 5b 10 8a 64 30 f2 34 dc 9a 43 A. The all V DOM is not synchronized between the primary and secondary FortiGate devices

B. The root V DOM is not synchronized between the primary and secondary FortiGate devices

- C. The global configuration is synchronized between the primary and secondary FortiGate devices
- D. The FortiGate devices have three V DOMS

Answer: B.C

5. Which of the following statements about NTLM authentication are correct? (Choose two.)

A. It is useful when users login to DCs that are not monitored by a collector agent

- B. It takes over as the primary authentication method when configured alongside FS SO.
- C. Multidomain environments require DC agents on every domain controller.
- D. NTLM-enabled web browsers are required.

Answer: AD