



TestHorse

Certified IT practice exam authority

Accurate study guides, High passing rate!
Testhorse provides update free of charge in one year!



<http://www.testhorse.com>

Exam : PCSAE

**Title : Palo Alto Networks Certified
Security Automation
Engineer**

Version : DEMO

1. Reliability scores in XSOAR range from A through F.

What do A and F stand for?

- A. F - Reliability cannot be judged, A - Completely Reliable
- B. F - Not reliable, A - Usually Reliable
- C. F - Not usually reliable, A - Fairly Reliable
- D. F - Unreliable, A - Completely Reliable

Answer: A

2. Which two incident search queries are valid? (Choose two.)

- A. created:>="7 days"
- B. owner===admin
- C. role is Analyst
- D. status:closed –category:job

Answer: A,D

Explanation:

Reference: <https://docs.paloaltonetworks.com/cortex/cortex-xsoar/5-5/cortex-xsoar-admin/cortex-xsoar-overview/how-to-search-in-cortex-xsoar.html>

3. Where can engineers add the post-processing scripts to incidents?

- A. The post-processing tag must be added to the automation
- B. Post-processing scripts must be added at the end of playbooks
- C. Post-processing scripts must be added from the Incident Type editor
- D. Post-processing scripts must be added from the Post-Process Rules editor

Answer: C

4. How would context data be filtered to receive only malicious indicator values with DBotScore?

- A. Get DBotScore.value where DBotScore.Score (Larger or equals) 4
- B. Get DBotScore.value where DBotScore.Score (equals (int)) 3
- C. Get DBotScore where DBotScore.Score (Larger than) 1
- D. Get DBotScore where DBotScore.Score (Larger or equals) 2

Answer: B

Explanation:

Reference:

https://github.com/demisto/content/blob/master//Packs/DeprecatedContent/Integrations/PaloAlto_MineMeld/README.md

5. How is data transferred between playbook tasks?

- A. Read/Write from context data
- B. Over war room results
- C. Input from the indicator page
- D. Directly from a previous task

Answer: A