TestHorse

Certified IT practice exam authority

Accurate study guides, High passing rate!
Testhorse provides update free of charge in one year!

http://www.testhorse.com

Exam : **HP2-K20**

Title : Supporting HP StorageWorks P2000 Solutions

Version : Demo

1.What is the minimum number of disks required to create a RAID 50 vdisk?
A. 4
B. 6
C. 8
D. 12
Answer: B

2.Which transport protocol is used to connect a P2000 G3 MSA to a D270 disk enclosure.?
A. iSCSI
B. Fibre Channel
C. SAS
D. SATA
Answer: C

3.Which RAID level provides the best random mix I/O performance?
A. 3
B. 5
C. 10
D. 50
Answer: C

4.Which types of hot spare disks are used in a P2000 G3 storage system? (Select two)
A. pre-allocated
B. global
C. multi-purpose
D. generic
E. local
Answer: B,D

5.Which statement is correct regarding the features of a P2000 G3 after an upgrade from a MSA2000 G2 storage array?
A. Asynchronous replication can be used in single-controller configurations.
B. The backend operates at 3Gb/s SAS speed.
C. Two 4Gb/s Fibre Channel ports per controller can be used.
D. The snapshot maximum is 255.
Answer: A

6.How many snapshots can be used with an additional license in a P2000 G3 storage system?
A. 8
B. 16
C. 64
D. 512
Answer: D

7.Which statement is correct regarding the management software of a P2000 G3 storage system?
A. It is OS platform independent.
B. It can be used on Windows and Linux hosts.
C. It can only be used on Windows hosts.
D. It can be used on Windows and HP-UX hosts.
Answer: A

8.DRAG DROP
Identify the supported RAID levels in a P2000 G3 storage array.



Answer:



9.What are benefits of the P2000 G3 array over its predecessor, the P2000 G2 array? (Select two.)
A. optional Volume Copy software
B. 8Gbps SAS architecture
C. 2GB cache
D. 50 percent increase in maximum SFF drives up to 149
E. Remote Snap functionality as standard
Answer: C,D

10.Which statement is correct regarding the use of Fibre Channel and iSCSI ports on a Controller of a P2000 G3?
A. FC and iSCSI ports can use the same LUN at the same time.
B. FC and iSCSI ports can be used simultaneously.
C. FC and iSCSI ports can be used simultaneously only on different controllers.
D. FC and iSCSI ports can use the same LUN at the same time only on different controllers.
Answer: B